

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1222	349/58.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/19 10:14
L2	116	349/60.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/19 10:14
L4	184	"349"/\$.ccls. and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/19 10:15
L5	31	"349"/\$.ccls. and lug	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/19 10:15
L6	676	"349"/\$.ccls. and (lug or screw or bolt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/19 10:15
L7	1005	"349"/\$.ccls. and (lug or screw or bolt)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:15
L8	50	"349"/\$.ccls. and lug	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:15
L9	209	"349"/\$.ccls. and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:15
L10	44	"349"/\$.ccls. and "mounting device"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:16

L11	5557	"349"/\$.ccls. and frame	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:16
L12	133	"349"/\$.ccls. and frame and flange	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:18
L13	2	"349"/\$.ccls. and "stop face"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:16
L14	70	"349"/58,60.ccls. and nec.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:17
L15	97	"349"/58,60.ccls. and hitachi.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:17
L16	37	"349"/58,60.ccls. and lg.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:17
L17	21	("4294517"   "4367467"   "4474432"   "4486607"   "4755035"   "4772100"   "4862153"   "4878738"   "4945350"   "5130833"   "5146354"   "5168384"   "5193022"   "5258866"   "5311341"   "5327267"   "5341233"   "5402255"   "5668700"   "5680183"   "5841501").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/19 10:17
L18	2	("6466282").URPN.	USPAT	OR	OFF	2005/09/19 10:18
L19	35	"349"/\$.ccls. and base and boss	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:19
L20	2	"349"/\$.ccls. and "frame bar"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:19

L21	77	"349"/\$.ccls. and frame same arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/19 10:19
L22	13	"349"/\$.ccls. and flange.clm.	US-PGPUB	OR	ON	2005/09/19 10:20
L24	5	"349"/\$.ccls. and "mounting device".clm.	US-PGPUB	OR	ON	2005/09/19 10:20
L25	92	"349"/\$.ccls. and (lug or bolt or screw).clm.	US-PGPUB	OR	ON	2005/09/19 10:21
L26	1	"349"/\$.ccls. and pan.clm.	US-PGPUB	OR	ON	2005/09/19 10:21
L27	20	"349"/\$.ccls. and clip.clm.	US-PGPUB	OR	ON	2005/09/19 10:21
L28	20	"349"/\$.ccls. and boss.clm.	US-PGPUB	OR	ON	2005/09/19 10:21
L29	5	"349"/\$.ccls. and "base frame".clm.	US-PGPUB	OR	ON	2005/09/19 10:21